



TPS OCTG ACCESSORIES



TechniFactory OCTG



TPS OCTG Accessories

We at TPS know that it's the little things that matter. Therefore, we have committed ourselves to supply every demand, be it complete tubing strings or single pieces of accessories. Our extensive stock with more than 5.000 pcs of OCTG accessories guarantees that you get what you need and when you need it. And if we should not have it on the shelf, our flexible production will guarantee the quickest delivery.

WE MANUFACTURE AMONG OTHERS:

- | | |
|------------------------|---------------------------------|
| • X-Overs / Crossovers | • Hangers |
| • Blast Joints | • Nipples |
| • Flow Couplings | • Mule Shoes |
| • Couplings | • Flanges |
| • Lifting caps & plugs | • Special pieces as per drawing |



What advantages do TPS OCTG Accessories offer you?

- You get TPS OCTG Accessories from stock and individual new production
- You have access to a huge stock with over 5000 pieces of Accessories
- We keep a huge stock of prematerial, such as hollow steel, bars or machined tubes to ensure fast lead times
- Big quantities or single pieces – we can supply it all
- TPS OCTG Accessories are available with almost any connection
- TPS is your specialized partner that can realize individual requirements
- Fabrication in any length and single piece weight of 8 tons possible
- We use only highest quality prematerials
- Our worldwide network of licenced threading shops ensures quick & easy support

IN HOUSE MACHINING & SERVICES:

Outside machining	Boring & Drilling	US Inspection
Inside machining	Sawing	Bucking Services
Milling	Upsetting	Repairs & Refurbishment
Phosphating	MPI Inspection	Sandblasting

AVAILABLE CONNECTIONS:

TPS-MULTISEAL-TS-8/6/4 - 2-step integral premium connection

TPS-TECHNISEAL - premium non-upset coupling connection

API EU / NU – standard API tubing connections

API BC / SC / LC – standard API casing connections

API IF / NC – standard API Drill Pipe connections

other proprietary connections available upon request

AVAILABLE GRADES:

J/K-55 – ON STOCK

N/L-80 – ON STOCK

P-110 – ON STOCK

13Cr80 – ON STOCK

T/C-95 – ON STOCK

AVAILABLE SIZES:

1.050" – 8 5/8"

In any standard and custom wall thickness

AVAILABLE LENGTHS:

any customer required length



Headquarter



Project Office



Mill 1



Mill 2


Head Office:

TPS-Technitube Röhrenwerke GmbH
Julius-Saxler-Str. 7 | 54550 Daun/Germany
Postfach 1509 | 54541 Daun/Germany
Tel.: +49 65 92 71 20
E-Mail: service@tpsd.de

Project Office:

TPS-Technitube Röhrenwerke GmbH
Dreischeibenhaus 1 | 40211 Düsseldorf/Germany
Tel.: +49 211 136 502 5390
E-Mail: projects@tpsd.de

www.tpsd.de



TPS-Technitube Röhrenwerke GmbH is a company of the LEPPER Stiftung (Foundation).

© 2021 by TPS-Technitube Röhrenwerke GmbH, Daun. All rights reserved. Reprint or reproduction, including partial reprint or reproduction, requires our formal permission. This catalogue is not subject to regular updating services; we recommend to consult the latest cited standards. All information is without guarantee.