

Elbow 45° Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes and Ends on request

Elbow 90° Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p

18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes and Ends on request

Tees Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes, Reduced Tees and Ends on request

Crosses Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p

8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes, Reduced Crosses and Ends on request

Couplings Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes, Reduced Couplings and Ends on request

Half Couplings Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p

3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes, Reduced Couplings and Ends on request

Caps Forged

Nom. Size	Pressure Rating and Ends			
	2000# SW-Ends	2000# Threaded-Ends	3000# SW-Ends	3000# Threaded-Ends
1/2"	p	p	p	p
3/4"	p	p	p	p
1"	p	p	p	p
1 1/4"	p	p	p	p
1 1/2"	p	p	p	p
2"	p	p	p	p
2 1/2"	p	p	p	p
3"	p	p	p	p
3 1/2"	p	p	p	p
4"	p	p	p	p
5"	p	p	p	p
6"	p	p	p	p
8"	p	p	p	p
10"	p	p	p	p
12"	p	p	p	p
14"	p	p	p	p
16"	p	p	p	p
18"	p	p	p	p
20"	p	p	p	p
24"	p	p	p	p

Other Pressure Ratings, Nom. Sizes and Ends on request

Weldolets

Run Size	Pressure Rating		
	3000#	6000#	9000#
1/2"	p	p	p
3/4"	p	p	p
1"	p	p	p

1 1/4"	p	p	p
1 1/2"	p	p	p
2"	p	p	p
2 1/2"	p	p	p
3"	p	p	p
3 1/2"	p	p	p
4"	p	p	p
5"	p	p	p
6"	p	p	p
8"	p	p	p
10"	p	p	p
12"	p	p	p
14"	p	p	p
16"	p	p	p
18"	p	p	p
20"	p	p	p
24"	p	p	p

Other Run Sizes and Wall-Thicknesses on request

Remarks: "p" available in all common connection sizes

Socklets

Pressure Rating

Run Size	3000#	6000#	9000#
1/2"	p	p	p
3/4"	p	p	p
1"	p	p	p
1 1/4"	p	p	p
1 1/2"	p	p	p
2"	p	p	p
2 1/2"	p	p	p
3"	p	p	p
3 1/2"	p	p	p
4"	p	p	p
5"	p	p	p
6"	p	p	p
8"	p	p	p
10"	p	p	p
12"	p	p	p
14"	p	p	p
16"	p	p	p
18"	p	p	p
20"	p	p	p
24"	p	p	p

Other Run Sizes on request

Remarks: "p" available in all common connection sizes

Threadolets

Pressure Rating

Run Size	3000#	6000#	9000#
1/2"	p	p	p
3/4"	p	p	p
1"	p	p	p
1 1/4"	p	p	p
1 1/2"	p	p	p
2"	p	p	p
2 1/2"	p	p	p
3"	p	p	p
3 1/2"	p	p	p
4"	p	p	p
5"	p	p	p
6"	p	p	p
8"	p	p	p
10"	p	p	p
12"	p	p	p
14"	p	p	p
16"	p	p	p
18"	p	p	p
20"	p	p	p
24"	p	p	p

Other Run Sizes on request

Remarks: "p" available in all common connection sizes

